

RICOH
imagine. change.

Highly reliable A3 black & white MFPs

Your organisation is unique. Just like the way you conduct business. So why handle document management in the same way as everybody else does? Ricoh's A3 black & white MFPs have been designed for demanding environments in mid- to large-sized offices. These versatile MFPs help you print, copy and share a wide range of documents for extra convenience. Use them as your information portal and connect to cloud services and applications directly from the operation panel. Monitor user activity, energy consumption, operating costs and more with powerful administration tools. You can even add this compact device to your Ricoh Managed Document Service (MDS) programme to reduce costs across your company. Available in a wide range of configurations, these models match your exact requirements and enhance your output from creation to finish.

- Time-saving: fast first print speed, rapid recovery from sleep mode
- Highly productive: print at up to 60 pages per minute
- Easy to use: choice of two operating panels (9-inch/10.1-inch)
- Cost-saving: low energy consumption
- Flexible: wide range of models to meet all your needs



MP 2554(Z)SP/MP 3054(Z)(SP): A perfect match for the modern office

With their contemporary design, these multifunctionals enhance the appearance of any office without taking up valuable space. Noise from any moving parts is kept to a minimum; fans do not operate during sleep mode. After waking up from sleep mode, only the essential parts will move.

Easy operation; just touch and swipe

The MP 2554ZSP/MP 3054ZSP take ease of use to a new dimension. Their touch and swipe panel, just like smart devices, makes operation simpler and faster. Operation is similar to Ricoh MFPs, reducing training needs for fleet customers. Save time by pre-setting frequently used settings on the home page. Recovery from sleep mode is only 4.9 seconds, so the device is ready for action virtually immediately.

MP 3554(Z)SP: Performance beyond expectations

Boost your productivity

The MP 3554SP/MP 3554ZSP streamline your workflow and increase your efficiency through powerful performance combined with easy usability. You'll find yourself being more productive while generating professional, high-quality document output at speeds of up to 35 pages per minute.

Optimum user-friendliness

The MP 3554SP is supplied with a conventional large 9-inch display; the MP 3554ZSP is equipped with a state-of-the-art 10.1-inch smart operation panel with a touch and swipe operation.

Highly efficient

Increase your work rate and efficiency by making use of Ricoh's GWNX controller features such as XPS Direct Print, embedded OCR and centralised address book management. Distributed Scan Management allows scanning conditions and destination to be set automatically – again saving time and improving efficiency.

An innovative way to staple

Ricoh's unique stapleless stapler lets you bind up to five pages without using a staple. You save on resources, don't have to remove staples when shredding documents, and there's no risk of staples scratching the glass platen when a document is scanned.

MP 4054(A)(Z)SP: Flexibility and productivity in a compact design

Fast printing – even double-sided

Save time, paper and cost with automatic and fast double-sided printing with the built-in Automatic Reversing Document Feeder (MP 4054SP) or Single Pass Duplex Feeder (MP 4054ASP/MP 4054AZSP).

Top-quality documents

A great feature of the MP 4054SP/MP 4054ASP/MP 4054AZSP is their ability to make flat fold booklets. This saves you time normally spent manually folding documents and you obtain impressively professional-looking booklets.

Choose between two displays

Select a conventional large 9-inch display (MP 4054SP/MP 4054ASP) or try our latest Ricoh 10.1-inch smart operation panel (MP 4054AZSP). Its touch and swipe operation, similar to smart devices, enables the most complex operations to be performed rapidly.

MP 5054(A)(Z)SP: Full of fresh ideas

Ready for action

These devices wake up from Energy Saver mode virtually instantly. Turn away briefly and you'll miss the first print; it's at a quick 2.9 seconds. High paper capacity (max. 4,700 sheets) and thick paper support (up to 300 gm²) are complemented by an Automatic Reversing Document Feeder (MP 5054SP) or a Single Pass Duplex Feeder (MP 5054ASP/MP 5054AZSP).

Easy to use

The MP 5054SP/MP 5054ASP/MP 5054AZSP are very simple to use. The MP 5054AZSP comes with the latest Ricoh 10.1-inch smart operation panel and allows the MFP to be used with easy touch and swipe operation. The familiar drag-and-drop can be used to rearrange icons on the home screen, increasing user-friendliness of the device. This model also comes with external USB keyboard support, which improves usability through easier and faster typing.

Time-saving user settings

A newly designed printer driver user interface allows you to save time when setting your preferences. Simply use the One Click Presets Tab to set most of your preferences in an instant.

Enhance your green credentials

Low Total Electricity Consumption (TEC) values, energy-saving sleep mode and new Energy Star v2.0 compliance reduce your environmental impact and your energy costs. Automatic and fast double-sided printing is standard to save time, paper and cost.

MP 6054(Z)SP/MP 6054ZSP: Smart. Intuitive. Productive.



- 1 High paper capacity (max. 4,700 sheets) and thick paper support (up to 300 gm²).
- 2 Single Pass Duplex Feeder (SPDF) as standard, with a scan speed of 180 ipm.
- 3 Conventional large 9-inch display (MP 6054SP) or 10.1-inch smart operation panel (MP 6054ZSP).
- 4 Ricoh's new Quick Start Up (QSU) fusing system leads to superior print quality and reduces Total Electricity Consumption (TEC) values.
- 5 Print directly from a USB stick or a PC without having to download and install a driver.
- 6 Versatile finishing options: opt for the 1,000/3,000-sheet finisher or the 1,000/2,000-sheet booklet finisher.

GÉNÉRALITÉS

Temps de préchauffage :	14 secondes
Temps de sortie de la 1ère page :	4,6/4,6/4,6/4,6/4,3/4,3/4/4/2,9/2,9/2,9/2,9 secondes
Vitesse de sortie en continu :	25/25/30/30/30/35/35/40/40/40/50/50/50/60/60 pages par minute
Mémoire :	Standard : 2 Go Maximum : 2 Go
Disque dur :	320 Go
Dimensions (L x P x H) :	Avec ARDF : 587 x 680 x 913 mm Avec SPDF : 587 x 680 x 963 mm
Poids :	Avec ARDF : 68,5 kg Avec SPDF : 74 kg
Source d'alimentation électrique :	220 - 240 V, 50/60 Hz

COPIEUR

Procédé de copie :	Numerisation par faisceau laser et impression électrophotographique Numerisation par double faisceau laser et impression électrophotographique (MP 4054SP, MP 5054SP, MP 6054SP)
Copies multiples :	Jusqu'à 999 copies
Résolution :	400 dpi
Zoom :	De 25 % à 400 %, par incrément de 1 %

IMPRIMANTE

Langage d'impression :	En standard : PCL5e, PCL6(XL), Impression directe PDF En option : XPS, Adobe® PostScript® 3™, IPDS
Résolution de l'impression :	Maximum (1 200 x 1 200 dpi)
Interface :	En standard : USB 2.0, Emplacement SD, Ethernet 10 base-T/100 base-TX, Ethernet 1000 Base-T En option : Port parallèle IEEE 1284, LAN sans fil (IEEE 802.11a/b/g/n), Bluetooth, NIC additionnel (2nd port)
Protocole réseau :	TCP/IP (IP v4, IP v6), En option (IPX/SPX)
Environnements Windows® :	Windows® XP, Windows® Vista, Windows® 7, Windows® 8, Windows® Server 2003, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012
Environnements Mac OS :	Macintosh OS X Native v10.6 ou version ultérieure
Environnements UNIX :	UNIX Sun® Solaris : 2.9, 2.10 HP-UX : 11.x, 11i v2, 11i v3 SCO OpenServer : 5.0.7, 6.0 RedHat® Linux Enterprise : 4, 5, 6 IBM® AIX : 5L v5.3, 5L v6.1, 5L v7.1 v6.5
Environnements Novell® Netware® (En option) :	SAP® R/3®
Environnements SAP® R/3® :	Passerelle NDPS
Autres environnements supportés :	AS/400® avec OS/400 Host Print Transform IBM iSeries

SCANNER

Vitesse de numérisation :	ARDF : 80 originaux maximum par minute SPDF : 110(recto)/180 originaux (recto-verso) maximum par minute
Résolution :	Maximum : 400 dpi
Format original :	A3, A4, A5, B4, B5
www.ricoh-europe.com	Réseau TWAIN
Scan to :	E-mail, Dossier, USB, Carte SD

FAX

Circuit :	PSTN, PBX
Compatibilité :	ITU-T (CCITT) G3
Résolution :	8 x 3,85 ligne/mm, 200 x 100 dpi 8 x 7,7 ligne/mm, 200 x 200 dpi En option : 8 x 15,4 ligne/mm, 400 x 400 dpi/16 x 15,4 ligne/mm, 400 x 400 dpi
Vitesse de transmission :	G3 : 2 seconde(s)
Vitesse du modem :	Maximum : 33,6 Kbps
Capacité mémoire :	En standard : 4 Mo Maximum : 60 Mo

GESTION DU PAPIER

Format papier recommandé :	Magasin(s) papier standard : A3, A4, A5, A6, B4, B5, B6 Bypass : A3, A4, A5, A6, B4, B5, B6
Alimentation papier :	Maximum : 4 700 feuilles
Sortie papier :	Maximum : 3 625 feuilles
Grammage papier :	Magasin(s) papier standard : 60 - 300 g/m² Bypass : 52 - 300 g/m² Magasin Recto/Verso : 52 - 256 g/m²

ÉCOLOGIE

Consommation électrique :	Maximum : 1,78 kW Mode prêt : 54,6/54,6/54,6/54,6/54,6/54,6/54,6/81,4/81,4/81,4/81,4/81,4/81,4/81,4 Wh Mode Veille prolongée : 0,49/0,49/0,49/0,49/0,49/0,49/0,51/0,51/0,51/0,51/0,51/0,51/0,51 Wh TEC (Consommation électrique typique) : 858/858/1 363/1 092/1 092/1 321/1 321/1 607/1 607/1 607/2 253/2 253/2 253/2 719/2 719 Wh
---------------------------	---

LOGICIELS

En standard :	SmartDeviceMonitor, Web SmartDeviceMonitor®, Web Image Monitor
En option :	GlobalScan NX, Card Authentication Package, Package de polices Unicode pour SAP, Remote Communication Gate S Pro

OPTIONS

Poignée ADF, 1 magasin papier de 550 feuilles, 2 magasins papier de 550 feuilles, Magasin grande capacité de 2 000 feuilles, Magasin grande capacité de 1 500 feuilles, Unité de transport papier, Finisseur 1000 feuilles, Finisseur 3 000 feuilles, Finisseur interne, Finisseur interne avec agrafeuse sans agrafe, Finisseur livret de 1 000 feuilles, Finisseur livret de 2 000 feuilles, Kit de perforation pour finisseur 3 000 feuilles, Kit de perforation pour finisseur livret, Kit de perforation pour finisseur interne, Réceptacle interne de tri décalé, Trieuse 1 case, Réceptacle latéral, Meuble support roulettes, Meuble support, Imprimante/Scanner en option, Disque dur, Port parallèle IEEE 1284, USB Device Server, Bluetooth, Netware, PostScript3, Unité IPDS, Navigateur, Interface compteur, Convertisseur de format de fichier, Support compteur-clé, Support de lecteur de carte, Unité Data Overwrite Security (Version certifiée), Système de protection contre la copie, Unité de connexion fax, Marqueur fax, 2ème port Super G3, Mémoire Fax, Option fax, Package de polices Unicode pour SAP, LAN sans fil (IEEE 802.11a/g/n), Unité OCR, Unité intégrée de lecteur de carte intelligente, Impression directe XPS

CONSOMMABLES

Autonomie toner :	Noir : 24 000/37 000 impressions (MP 3554SP, MP 6054SP)
Rendement cible toner (A4/LT, couverture 6%) :	Noir : 24 000/37 000 impressions (MP 3554SP, MP 6054SP)

Certifié ISO9001, Certifié ISO14001, Certifié ISO27001

Les noms de marques et/ou de produits sont des marques déposées de leurs propriétaires respectifs. Les caractéristiques et l'apparence extérieure du produit sont sujettes à modification sans préavis. Les couleurs du produit sont susceptibles d'être différentes de celles présentées dans cette brochure. Les images présentées dans cette brochure ne sont pas de vraies photographies et de légères différences de détail peuvent apparaître.

Copyright © 2014 Ricoh Europe PLC. All rights reserved. Toute modification et/ou adaptation et/ou reproduction, en partie ou en intégralité, et/ou insertion dans d'autres travaux de la présente brochure, de son contenu et/ou de sa mise en page sans l'accord écrit de la société Ricoh Europe PLC est interdite.

Pour en savoir plus sur la disponibilité des modèles, des options et des logiciels, contactez votre revendeur Ricoh.